



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/663,768	09/17/2003	Uri Amin	1348VAS-US	3839
7590	09/25/2006		EXAMINER	
Dekel Patent Ltd. Beit HaRofim Room 27 18 Menuha VeNahala Street Rehovot, ISRAEL				GANESAN, SUBA
		ART UNIT	PAPER NUMBER	3738
				DATE MAILED: 09/25/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No.	Applicant(s)	
	10/663,768	AMIN ET AL.	
	Examiner	Art Unit	
	Suba Ganesan	3738	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

1) Responsive to communication(s) filed on 31 August 2006.
 2a) This action is FINAL. 2b) This action is non-final.
 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

4) Claim(s) 1-7 is/are pending in the application.
 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
 5) Claim(s) _____ is/are allowed.
 6) Claim(s) 1-7 is/are rejected.
 7) Claim(s) _____ is/are objected to.
 8) Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

9) The specification is objected to by the Examiner.
 10) The drawing(s) filed on 17 September 2003 is/are: a) accepted or b) objected to by the Examiner.
 Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
 Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 a) All b) Some * c) None of:
 1. Certified copies of the priority documents have been received.
 2. Certified copies of the priority documents have been received in Application No. _____.
 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

1) Notice of References Cited (PTO-892)
 2) Notice of Draftsperson's Patent Drawing Review (PTO-948)
 3) Information Disclosure Statement(s) (PTO/SB/08)
 Paper No(s)/Mail Date 8/31/2006.

4) Interview Summary (PTO-413)
 Paper No(s)/Mail Date. _____.
 5) Notice of Informal Patent Application
 6) Other: _____.

DETAILED ACTION

Claim Rejections - 35 USC § 102

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

1. Claims 1-4 are rejected under 35 U.S.C. 102(b) as being anticipated by Pappas (U.S. Pat. No. 4,955,919). Pappas discloses a plastic liner (330, fig 14B) with an interrupted annular flange (331). The annular flange (331) of the plastic liner fits into a complimentary recess (321) disposed on a metal acetabular cup (320). The examiner is interpreting the claimed elements "an elastomer" in this way: something that is plastic. Claims in a pending application should be given their broadest reasonable interpretation. *In re Pearson*, 181 USPQ 641 (CCPA 1974). See also *In re Morris*, Fed. Cir. 1997 127 F3d 1048, 1054,1055. The plastic liner (350) is press fitted onto a metal acetabular cup (320) (an 'implant body'). The complimentary flange (331) and recess (321) comprise a tongue-and-groove connection.

2. Claim 1 is rejected under 35 U.S.C. 102(b) as being anticipated by Downey (U.S. Pat. No. 4,874,389). Fig. 1 shows implant bodies 22,24 with an elastomeric cover 12 connected to the body by mechanical fasteners 26,28 respectively.

Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. Claims 5-7 are rejected under 35 U.S.C. 103(a) as being unpatentable over Pappas '919).

Pappas '919 discloses the use of a tongue and groove fastening means to connect a plastic liner (330) to an implant body (320). However, Pappas does not disclose the implant body having a ball shape. The disclosed implant is cup shaped, with the plastic liner (530) between the cup (320) and a complimentary ball-shaped implant. The placement of the plastic liner either on the cup or directly on the ball of a ball and socket implant is a matter of obvious design choice since either placement serves the function of enhancing flexibility of the articulation surface. Therefore it would have been obvious to one of ordinary skill in the art to modify the plastic liner (330) to cover a ball-shaped implant with a tongue and groove fastening means.

Conclusion

5. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. See PTO-892 for art cite of interest.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Suba Ganesan whose telephone number is 571-272-3243. The examiner can normally be reached on M-F 8-5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Corrine McDermott can be reached on 571-272-4754. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

SDG
9/18/06

BRIAN E. PELLEGRINO
PRIMARY EXAMINER

